

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/821,392	03/29/2001	Nathaniel P. Langford	54493USA3C	3598
32692	7590 09/09/2003			
3M INNOV	ATIVE PROPERTIES CO	OMPANY	ЕХАМП	NER
PO BOX 3342 ST. PAUL, M	27 IN 55133-3427		EGWIM, KELECHI CHIDI	
			ART UNIT	PAPER NUMBER
			1713	14
		. •	DATE MAILED: 09/09/2003	/* (

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STOES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

A.S

			117
APPLICATION NO.I	FILING DATE	FIRST NAMED INVENTOR /	ATTORNEY DOCKET NO.
CONTROL NO.		PATENT IN REEXAMINATION	
		· · · · · · · · · · · · · · · · · · ·	

EXAMINER

**ART UNIT** 

**PAPER** 

14

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/30/03 has been entered.

## Election/Restrictions

The amendment filed on 7/21/03 canceling all claims drawn to the elected invention and presenting only claims drawn to a non-elected invention is non-responsive (MPEP § 821.03). The remaining claims are not readable on the elected invention because the elected claims are to a drywall joint compound and the present claims are to various method of reducing the quantity of dust generated by a drywall joint compound.

Since the above-mentioned amendment appears to be a bona fide attempt to reply, applicant is given a TIME PERIOD of ONE (1) MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this notice within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD UNDER 37 CFR 1.136(a) ARE AVAILABLE. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Kelechi C. Egwim whose telephone number is (703) 306-5701. The examiner can normally be reached on M-T (7:30-6:00). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu can be reached on (703) 308-2450. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

KELECHI C. EGWINI PH.D. PRIMARY EXAMINER

KCE

PTO-90C (Rev.04-03)